



16 PM

RECEIVED
1634

PATENT

ATTORNEY DOCKET NO.: DIVER1280-14

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William Michael Lafferty Art Unit: 1634
Application No.: 09/894,956 Examiner: Betty J. Forman
Filed: June 27, 2001
Title: CAPILLARY ARRAY-BASED SAMPLE SCREENING

Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL LETTER

Sir:

Transmitted herewith for filing in connection with the above-identified patent application, please find the following:

- (1) Request for Corrected Filing Receipt; (2 pgs)
- (2) Copy of Filing Receipt reflecting changes; (2 pgs)
- (3) Copy of Preliminary Amendment; (5 pgs) and
- (4) Return postcard.

CERTIFICATION UNDER 37 CFR §1.8

I hereby certify that the documents referred to as enclosed herein are being deposited with the United States Postal Service as first class mail on this date, 5-20-03, in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231

Yinia M. Najar
(Name of Person mailing Paper)


[Signature] 5-20-03
(Signature of Person Mailing Paper) Date

Applicant: William Michael Lafferty
Application No.: 09/894,956
Filed: June 27, 2001
Page 2

No fee is deemed necessary in connection with the filing of this paper. However, if any fee is required, the Commissioner is hereby authorized to charge the amount of this fee, or credit any overpayments, to Deposit Account No. 50-1355. A copy of this Transmittal Letter is enclosed.

Respectfully submitted,

Date: May 20, 2003


Richard J. Imbra
Registration No. 37,643
Telephone: (858) 677-1496
Facsimile: (858) 677-1465

USPTO CUSTOMER NO. 28213

GRAY CARY WARE & FREIDENRICH LLP
4365 Executive Drive, Suite 1100
San Diego, California 92121-2133